



Dynaflux SDS CNF A 01/17/2017

## Safety Data Sheet

Product: Crack Check CNF Cleaner (Aerosol)

**Part 1: Product and Company Identification**

Identification CNF A

Trade Name: Crack Check CNF Cleaner (Aerosol)

Product Use: Cleans hard surfaces before and after penetrant application.

Manufacturers Name: Dynaflux, Inc.

241 Brown Farm Rd.

Cartersville, GA 30120 U.S.A.

Emergency Telephone Number: For U.S.: 800-255-3924 International: 813-248-0585

**Part 2: Hazardous Ingredients**Signal Word: **WARNING****H229:** Pressurized container: may burst if heated**H351:** Suspected of causing cancer

| Hazardous Ingredients | CAS No. | SARA III List | PEL PPM | TLV PPM | Carcinogen Refer. Source |
|-----------------------|---------|---------------|---------|---------|--------------------------|
| Dichloromethane       | 75-09-2 | Yes           | 25      | 12.5    | IARC NTP                 |

**Warning:**

Contains gas under pressure. May explode if heated.  
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 May cause damage to organs.  
 May be harmful if swallowed.

**Part 3: Hazard Rating****H.M.I.S.**

|              |   |
|--------------|---|
| Health       | 2 |
| Flammability | 0 |
| Reactivity   | 0 |
| Special      | - |

**N.F.P.A.**

|                     |   |
|---------------------|---|
| Health              | 3 |
| Flammability        | 0 |
| Reactivity          | 0 |
| Personal Protection | b |

**Part 4: First Aid Measures**

Eye Contact: Flush with water for 15 minutes. If irritation persists call a physician. **GHS: Category 2A**

Skin Contact: Flush with water. Wash with soap and water. Apply a lotion. **GHS: Category 2**

Inhalation: Move to fresh air.

Ingestion: Do not induce vomiting. Give several large glasses of water. Seek medical attention. **GHS: Category 4**

**Reproductive Toxicity: GHS Category 2**

**Carcinogenicity: GHS Category 2**

**Part 5: Fire Fighting Measures**

Flashpoint: Nonflammable Flame Projection Test

U.E.L.: None Established

L.E.L. : None Established

Auto Ignition Temperature: 662°C.

Combustion Products: Carbon dioxide, carbon monoxide, hydrogen chloride and small amounts of phosgene.

Extinguishing Media: Foam, CO2, Dry chemical

Unusual Fire and Explosion Hazard: use a self contained breathing apparatus. Use water fog to cool containers to prevent rupturing.

**Part 6: Accidental Release Measures**

Small Spill: Soak up with absorbent material, i.e. kitty litter, clay or dirt. Sweep up and place in a labeled closed container.

Large Spill: Keep unauthorized people from the area. Use self contained breathing apparatus. Dike area and pump contents to a labeled, closed container. Absorb residue and sweep up. Place in a closed, labeled container.

**Part 7: Handling and Storage**

Leave in the shipping containers. Store in a cool dry place. Do not expose aerosols to temperatures above 120° F or the container may rupture.

**Part 8: Exposure Control / Personal Protection**

If vapor exceeds TLV use a approved respirator. Use mechanical ventilation in confined spaces. Wear safety glasses and protective gloves.

**Part 9: Physical and Chemical Properties**

Appearance: thin liquid

Odor: Chlorinated solvent

Odor threshold: Unknown

pH: NA

Melting/Freezing Point: Unknown

Initial boiling point/boiling range: 39.8°C

Flash Point: NA

Evaporation Rate: NA

Flammability: NA

UEL/LEL: Unknown

Vapor Pressure: 47.33 KPA

Vapor Density: Unknown

Solubility: Unknown

n-octynol/water coefficient: 1.25

Auto Ignition Temperature: Unknown

Decomposition Temperature: Unknown

**Part 10: Stability and Reactivity**

Stability- Product is stable

Hazardous Polymerization- will not occur.

Conditions to Avoid- Ignition sources, open flames, amines and strong bases.

**Part 11: Toxicological Information**

Ingestion: Rat LD50 1500-2500mg/kg

Inhalation: Rat LC50 10,000 ppm

Carcinogenicity Classification: N.T.P. Anticipated Carcinogen. IARC: Possible carcinogen; 2B

Reproductive Toxicity: animal studies- None

Genetic Toxicity-negative results from animal studies.

**Part 12: Ecological Information**

Potential for mobility in soil is high.  
Octanol/Water partition coefficient: 1.25  
Organic carbon/water partition coefficient: 24  
Atmospheric half life: 79-110 days  
Biodegradation 5-26% 28 days  
LC50 bluegill: 224 mg/l  
Aquatic Toxicity EC50 water flea. Immobilization: 480 mg/l

**Part 13: Disposal Consideration**

Do not dump into any sewers, on the ground or into any body of water. Send to a permitted recycler.

**Part 14: Transportation Information**

D.O.T.

Consumer Commodity O.R.M.-D., 48580 Sub 3

**IMDG- (Vessel)**

Proper Shipping Name: Aerosols, (Dichloromethane), Limited Quantity  
Hazard Class: Class 2.2, 6.1  
Packing Group: III  
UN Number: UN1950  
Marine Pollutant – No

**Part 15: Regulatory Information**

Section 311 and 312  
Immediate Health Hazard – Yes  
Delayed Health Hazard – Yes  
Fire Hazard – No  
Reactive Hazard – No  
Section 313- Dichloromethane  
SARA 313 - Listed  
TSCA – Listed  
CEPA-(DSL) Listed  
European Inventory – Listed  
Canadian DSL- Listed  
Australian AICA – Listed  
Japanese ENCS-Listed  
California Prop 65 - Listed

**Part 16: Other Information**

Dynaflux, Inc.  
241 Brown Farm Rd.  
Cartersville, GA 30120 U.S.A.  
Completed by: Eugene Schaffstall

**Disclaimer of Expressed and implied Warranties:**

The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date of the Safety Data Sheet was prepared. No responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices as specified on the label copy.