

# SAFETY DATA SHEET

## 1. Identification

Product number: 1000000039  
 Product identifier: 10 OZ FRESH LINEN AIR FRESHENER LB 12PK  
 Revision date: 06-04-2015  
 Company information: SUNBELT LABORATORIES  
 P.O. BOX 1563  
 STAFFORD, TX 77497 United States  
 Company phone: 1-281-261-4747  
 Emergency telephone US: 1-866-836-8855  
 Emergency telephone outside US: 1-952-852-4646  
 Version #: 04  
 Supersedes date: 05-04-2015  
 Recommended use: Air Freshener  
 Recommended restrictions: None known.

## 2. Hazard(s) identification

|                       |   |                             |
|-----------------------|---|-----------------------------|
| Physical hazards      | Flammable aerosols                              | Category 1                  |
| Health hazards        | Serious eye damage/eye irritation               | Category 2A                 |
|                       | Specific target organ toxicity, single exposure | Category 3 narcotic effects |
| Environmental hazards | Not classified.                                 |                             |
| OSHA defined hazards  | Not classified.                                 |                             |

### Label elements



Signal word: Danger  
 Hazard statement: Extremely flammable aerosol. Causes serious eye irritation. May cause drowsiness or dizziness.  
 Precautionary statement: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye/face protection.  
 Prevention: If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. Collect spillage.  
 Response: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
 Storage: Dispose of contents/container in accordance with local/regional/national/international regulations.  
 Disposal: None known.  
 Hazard(s) not otherwise classified (HNOC): None.  
 Supplemental information: None.

## 3. Composition/information on ingredients

| Mixtures | Chemical name | Common name and synonyms | CAS number | %       |
|----------|---------------|--------------------------|------------|---------|
|          | Acetone       |                          | 67-64-1    | 60 - 80 |

| Chemical name                            | Common name and synonyms | CAS number | %       |
|--|--------------------------|------------|---------|
| Butane                                   |                          | 106-97-8   | 10 - 20 |
| Propane                                  |                          | 74-98-6    | 10 - 20 |
| Other components below reportable levels |                          |            | 1 - 2.5 |

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

|   |   |
|---|---|
| <b>Inhalation</b>   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.   |
| <b>Skin contact</b>   | Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.  |
| <b>Eye contact</b>  | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately. Rinse mouth. Get medical attention if symptoms occur. |
| <b>Ingestion</b>  | Irritation of nose and throat. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.                             |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.  |
| <b>Indication of immediate medical attention and special treatment needed</b> | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.  |
| <b>General information</b>  |   |

#### 5. Fire-fighting measures

|  |  |
|--|--|
| <b>Suitable extinguishing media</b>                                  | Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).  |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.   |
| <b>Specific hazards arising from the chemical</b>                    | Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.  |
| <b>Special protective equipment and precautions for firefighters</b> | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.   |
| <b>Fire-fighting equipment/instructions</b>                          | Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. |
| <b>Specific methods</b>  | Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.   |
| <b>General fire hazards</b>  | Extremely flammable aerosol.   |

#### 6. Accidental release measures

|  |  |
|--|--|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.  |
| <b>Methods and materials for containment and cleaning up</b>               | Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. |
| <b>Environmental precautions</b>   | Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.   |

## 7. Handling and storage

### Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not re-use empty containers. Avoid breathing gas. Avoid contact with eyes. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Level 3 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components            | Type | Value                              |
|-----------------------|------|------------------------------------|
| Acetone (CAS 67-64-1) | PEL  | 2400 mg/m <sup>3</sup><br>1000 ppm |
| Propane (CAS 74-98-6) | PEL  | 1800 mg/m <sup>3</sup><br>1000 ppm |

#### US. ACGIH Threshold Limit Values

| Components            | Type | Value    |
|-----------------------|------|----------|
| Acetone (CAS 67-64-1) | STEL | 750 ppm  |
|                       | TWA  | 500 ppm  |
| Butane (CAS 106-97-8) | STEL | 1000 ppm |

#### US. NIOSH: Pocket Guide to Chemical Hazards

| Components            | Type | Value                              |
|-----------------------|------|------------------------------------|
| Acetone (CAS 67-64-1) | TWA  | 590 mg/m <sup>3</sup><br>250 ppm   |
| Butane (CAS 106-97-8) | TWA  | 1900 mg/m <sup>3</sup><br>800 ppm  |
| Propane (CAS 74-98-6) | TWA  | 1800 mg/m <sup>3</sup><br>1000 ppm |

### Biological limit values

#### ACGIH Biological Exposure Indices

| Components            | Value   | Determinant | Specimen | Sampling Time |
|-----------------------|---------|-------------|----------|---------------|
| Acetone (CAS 67-64-1) | 50 mg/l | Acetone     | Urine    | *             |

\* - For sampling details, please see the source document.

### Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Wear appropriate chemical resistant gloves.

**Skin protection**

**Other** Wear suitable protective clothing.

**Respiratory protection** If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations** When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

|  |  |
|--|--|
| <b>Physical state</b>                          | Gas.                                       |
| <b>Form</b>                                    | Aerosol.                                   |
| <b>Color</b>                                   | clear colorless                            |
| <b>Odor</b>                                    | Characteristic.                            |
| <b>Odor threshold</b>                          | Not available.                             |
| <b>pH</b>                                      | Not applicable estimated                   |
| <b>Melting point/freezing point</b>            | Not available.                             |
| <b>Initial boiling point and boiling range</b> | 89.81 °F (32.12 °C) estimated              |
| <b>Flash point</b>                             | -156.0 °F (-104.4 °C) propellant estimated |
| <b>Evaporation rate</b>                        | Not available.                             |
| <b>Flammability (solid, gas)</b>               | Not available.                             |

### Upper/lower flammability or explosive limits

|  |                              |
|--|------------------------------|
| <b>Flammability limit - lower (%)</b>          | Not available.               |
| <b>Flammability limit - upper (%)</b>          | Not available.               |
| <b>Explosive limit - lower (%)</b>             | Not available.               |
| <b>Explosive limit - upper (%)</b>             | Not available.               |
| <b>Vapor pressure</b>                          | 50 - 60 psig @70°F estimated |
| <b>Vapor density</b>                           | Not available.               |
| <b>Relative density</b>                        | Not available.               |
| <b>Solubility(ies)</b>                         |                              |
| <b>Solubility (water)</b>                      | Not available.               |
| <b>Partition coefficient (n-octanol/water)</b> | Not available.               |
| <b>Auto-ignition temperature</b>               | Not available.               |
| <b>Decomposition temperature</b>               | Not available.               |
| <b>Viscosity</b>                               | Not available.               |
| <b>Other information</b>                       |                              |
| <b>Specific gravity</b>                        | 0.694 estimated estimated    |

## 10. Stability and reactivity

|   |  |
|---|--|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport.  |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.  |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use. Hazardous polymerization does not occur.   |
| <b>Conditions to avoid</b>                | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Fire or intense heat may cause violent rupture of packages. |
| <b>Incompatible materials</b>             | Acids. Strong oxidizing agents. Nitrates. Fluorine. Chlorine.  |
| <b>Hazardous decomposition products</b>   | No hazardous decomposition products are known.   |

## 11. Toxicological information

### Information on likely routes of exposure

|                  |  |
|------------------|--|
| <b>Ingestion</b> | Expected to be a low ingestion hazard. |
|------------------|--|

|   |   |
|---|---|
| <b>Inhalation</b>   | May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.  |
| <b>Skin contact</b>   | Causes mild skin irritation.  |
| <b>Eye contact</b>  | Causes serious eye irritation.  |
| <b>Symptoms related to the physical, chemical and toxicological characteristics</b> | Irritation of nose and throat. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. May cause central nervous system effects. |

**Information on toxicological effects**

|                       |   |
|-----------------------|---|
| <b>Acute toxicity</b> | Narcotic effects. Expected to be a low hazard for usual industrial or commercial handling by trained personnel. |
|-----------------------|---|

| Product   | Species    | Test Results           |
|---|------------|------------------------|
| 10 OZ FRESH LINEN AIR FRESHENER LB 12PK (CAS Mixture) |            |                        |
| <b>Acute</b>  |            |                        |
| <i>Dermal</i>   |            |                        |
| LD50  | Rat        | 29401 mg/kg            |
| <i>Inhalation</i>                                     |            |                        |
| LC50  | Rat        | 106 mg/l/4h            |
| <i>Oral</i>   |            |                        |
| LD50  | Rat        |                        |
| Components  | Species    | Test Results           |
| Acetone (CAS 67-64-1)                                 |            |                        |
| <b>Acute</b>  |            |                        |
| <i>Dermal</i>   |            |                        |
| LD50  | Guinea pig | > 7426 mg/kg, 24 Hours |
|   | Rabbit     | > 9.4 ml/kg, 24 Hours  |
|   |            | > 7426 mg/kg, 24 Hours |
|   |            | > 9.4 ml/kg, 24 Hours  |
| <i>Inhalation</i>                                     |            |                        |
| LC50  | Rat        | 55700 ppm, 3 Hours     |
|   |            | 132 mg/l, 3 Hours      |
|   |            | 50.1 mg/l              |
| <i>Oral</i>   |            |                        |
| LD50  | Rat        | 5800 mg/kg             |
|   |            | 2.2 ml/kg              |
| Butane (CAS 106-97-8)                                 |            |                        |
| <b>Acute</b>  |            |                        |
| <i>Inhalation</i>                                     |            |                        |
| LC50  | Mouse      | 1237 mg/l, 120 Minutes |
|   | Rat        | 52 %, 120 Minutes      |
|   |            | 1355 mg/l              |
| Propane (CAS 74-98-6)                                 |            |                        |
| <b>Acute</b>  |            |                        |
| <i>Inhalation</i>                                     |            |                        |
| LC50  | Mouse      | 1237 mg/l, 120 Minutes |
|   | Rat        | 52 %, 120 Minutes      |
|   |            | 1355 mg/l              |
|   |            | 658 mg/l/4h            |

\* Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Causes mild skin irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation.

**Respiratory or skin sensitization**

|                                  |  |
|----------------------------------|--|
| <b>Respiratory sensitization</b> | Not a respiratory sensitizer.  |
| <b>Skin sensitization</b>        | This product is not expected to cause skin sensitization.  |
| <b>Germ cell mutagenicity</b>    | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| <b>Carcinogenicity</b>           | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.                                  |

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

|   |  |
|---|--|
| Not listed.   |  |
| <b>Reproductive toxicity</b>                              | This product is not expected to cause reproductive or developmental effects. |
| <b>Specific target organ toxicity - single exposure</b>   | May cause drowsiness or dizziness. May cause drowsiness and dizziness.       |
| <b>Specific target organ toxicity - repeated exposure</b> | Not classified.  |
| <b>Aspiration hazard</b>                                  | Not an aspiration hazard. Not likely, due to the form of the product.        |
| <b>Chronic effects</b>                                    | Prolonged inhalation may be harmful.   |

**12. Ecological information****Ecotoxicity**

| Product   | Species |  | Test Results               |
|---|---------|--|----------------------------|
| 10 OZ FRESH LINEN AIR FRESHENER LB 12PK (CAS Mixture) |         |  |                            |
| <b>Aquatic</b>  |         |  |                            |
| Crustacea   | EC50    | Daphnia  | 19781 mg/L, 48 Hours       |
| Fish  | LC50    | Fish   | 8121 mg/L, 96 Hours        |
| Components  | Species |  | Test Results               |
| Acetone (CAS 67-64-1)                                 |         |  |                            |
| <b>Aquatic</b>  |         |  |                            |
| Crustacea   | EC50    | Water flea (Daphnia magna)                           | 21.6 - 23.9 mg/l, 48 hours |
| Fish  | LC50    | Rainbow trout, donaldson trout (Oncorhynchus mykiss) | 4740 - 6330 mg/l, 96 hours |

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

**Partition coefficient n-octanol / water (log Kow)**

|         |       |
|---------|-------|
| Acetone | -0.24 |
| Butane  | 2.89  |
| Propane | 2.36  |

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

**13. Disposal considerations****Disposal instructions**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations**

Dispose in accordance with all applicable regulations.

**Hazardous waste code**

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**US RCRA Hazardous Waste U List: Reference**

U002

Acetone (CAS 67-64-1)

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

## 14. Transport information

### DOT

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1950  |
| <b>UN proper shipping name</b>      | Aerosols, flammable, (each not exceeding 1 L capacity)                  |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 2.1   |
| <b>Subsidiary risk</b>              | -   |
| <b>Label(s)</b>                     | 2.1   |
| <b>Packing group</b>                | Not applicable.   |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Special provisions</b>           | N82   |
| <b>Packaging exceptions</b>         | 306   |
| <b>Packaging non bulk</b>           | None  |
| <b>Packaging bulk</b>               | None  |

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

### IATA

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1950  |
| <b>UN proper shipping name</b>      | Aerosols, flammable   |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 2.1   |
| <b>Subsidiary risk</b>              | -   |
| <b>Label(s)</b>                     | 2.1   |
| <b>Packing group</b>                | Not applicable.   |
| <b>Environmental hazards</b>        | No.   |
| <b>ERG Code</b>                     | 10L   |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Other information</b>            |   |
| <b>Passenger and cargo aircraft</b> | Allowed.  |
| <b>Cargo aircraft only</b>          | Allowed.  |
| <b>Packaging Exceptions</b>         | LTD QTY   |

### IMDG

|   |   |
|---|---|
| <b>UN number</b>  | UN1950  |
| <b>UN proper shipping name</b>  | AEROSOLS  |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>  | 2.1   |
| <b>Subsidiary risk</b>  | -   |
| <b>Label(s)</b>   | 2.1   |
| <b>Packing group</b>  | Not applicable.   |
| <b>Environmental hazards</b>  |   |
| <b>Marine pollutant</b>   | No.   |
| <b>EmS</b>  | F-D, S-U  |
| <b>Special precautions for user</b>   | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Packaging Exceptions</b>   | LTD QTY   |
| <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b> | Not applicable.   |

DOT



IATA; IMDG



## 15. Regulatory information

### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
All components are on the U.S. EPA TSCA Inventory List.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Acetone (CAS 67-64-1)

Listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - Yes

Pressure Hazard - No

Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

### SARA 311/312 Hazardous chemical

### SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

#### Safe Drinking Water Act (SDWA)

Not regulated.

#### Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Acetone (CAS 67-64-1)

6532

#### Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Acetone (CAS 67-64-1)

35 %WV

SDS US

8 / 9

**DEA Exempt Chemical Mixtures Code Number**

Acetone (CAS 67-64-1)

6532

**US state regulations****US. Massachusetts RTK - Substance List**

Acetone (CAS 67-64-1)  
 Butane (CAS 106-97-8)  
 Propane (CAS 74-98-6)

**US. New Jersey Worker and Community Right-to-Know Act**

Acetone (CAS 67-64-1)  
 Butane (CAS 106-97-8)  
 Propane (CAS 74-98-6)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Acetone (CAS 67-64-1)  
 Butane (CAS 106-97-8)  
 Propane (CAS 74-98-6)

**US. Rhode Island RTK**

Acetone (CAS 67-64-1)  
 Butane (CAS 106-97-8)  
 Propane (CAS 74-98-6)

**US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**International Inventories**

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | No                     |
| Canada                      | Domestic Substances List (DSL)   | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | No                     |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                       | Existing Chemicals List (ECL)  | No                     |
| New Zealand                 | New Zealand Inventory  | No                     |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | No                     |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

Issue date 03-23-2015

Revision date 06-04-2015

Version # 04

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.